

Notice of variation with introductory note

The Environmental Permitting (England & Wales) Regulations 2010

Eastside 2000 Limited

Eastside Recycling Facility
Lloyd George House
Fordshill Road
Rotherwas Industrial Estate
Hereford
HR2 6NS

Variation application number

EPR/DP3395FN/V003

Permit number

EPR/DP3395FN

Eastside Recycling Facility

Permit number EPR/DP3395FN

Introductory note

This introductory note does not form a part of the notice

The following notice gives notice of the variation of an environmental permit.

This variation is undertaken at the applicants' request and it is to increase the quantity of hazardous waste for disposal stored at the site at any one time to 30 tonnes.

The schedules specify the changes made to the original permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application received	Duly made 14/07/06	Application for household, commercial and industrial waste transfer station with treatment & asbestos storage.
Permit determined EAWML 30391	16/11/06	Permit issued to Eastside 2000 Limited
Notice of Modification issued	07/11/08	Set out minimum requirements for the storage and treatment of WEEE.
Application EPR/DP3395FN/V003	Duly made 18/05/16	Application to increase the maximum quantity of hazardous waste (asbestos) stored at site at any one time to 30 tonnes.
Variation determined EPR/DP3395FN	17/06/2016	Varied permit issued.

End of introductory note

Notice of variation

The Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2010 varies

Permit number

EPR/DP3395FN

Issued to

Eastside 2000 Limited (“the operator”)

whose registered office is

**Lloyd George House
Fordshill Road
Rotherwas Industrial Estate
Hereford
HR2 6NS**

company registration number 04116892

to operate a regulated facility at

**Eastside Recycling Facility
Lloyd George House
Fordshill Road
Rotherwas Industrial Estate
Hereford
HR2 6NS**

to the extent set out in the schedules.

The notice shall take effect from 17/06/2016

Name	Date
Helen M Rowlands	17/06/2016

Authorised on behalf of the Environment Agency

Schedule 1 – conditions to be deleted

None

Schedule 2 – conditions to be amended

The following conditions are amended as a result of the application made by the operator

Schedule 2 – Operations

Table 2.1 Licensed activities	
Description of activities for waste operations	Limits of activities
D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced)	Asbestos waste must be double bagged and kept within clearly identified, secure lockable containers. The maximum quantity of hazardous waste for disposal stored at the site shall not exceed 30 tonnes at any one time.
R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where the waste is produced)	Hazardous and non-hazardous waste must be kept on impermeable pavement with sealed drainage. Wastes which are in a form which is either sludge or liquid shall only be permitted if received and stored in liquid-retaining, covered containers and stored in areas provided with impermeable pavement and sealed drainage.
D14: Repackaging prior to submission to any of the operations numbered D1 to D13	

Table 2.1 Licensed activities	
Description of activities for waste operations	Limits of activities
<p>D9: Physico-chemical treatment not specified elsewhere which results in final compounds or mixtures which are discarded by means of any of the operations numbered D1 to D12</p> <p>R3: Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes)</p> <p>R4: Recycling/reclamation of metals and metal compounds</p> <p>R5: Recycling/reclamation of other inorganic materials</p>	<p>Treatment consisting only of manual storing, separation, screening, crushing or compaction of non-hazardous or inert waste into different components for disposal, (no more than 50 tonnes per day) or recovery.</p> <p>Non-hazardous waste must be treated on impermeable pavement with sealed drainage.</p> <p>Inert wastes must be treated on hard standing or on impermeable pavement with sealed drainage.</p> <p>There <u>must not</u> be any treatment of asbestos waste.</p>

Schedule 3 – conditions to be added

The following conditions are added following an Environment Agency initiated variation

3.8 Fire prevention

3.8.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

3.8.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to a risk of fire, submit to the Environment Agency for approval within the period specified, a fire prevention plan which prevents fires and minimises the risk of pollution from fires;
- (b) implement the fire prevention plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.